

HIV Surveillance Report Arkansas, 2017



This issue of the Sexually Transmitted Infections (STI) Surveillance Report is published by Arkansas Department of Health and prepared by the Epidemiology and Infectious Disease Branches.

Data are presented for incidence and prevalence of human immunodeficiency virus (HIV) infection and acquired immunodeficiency syndrome (AIDS) among residents of Arkansas based on persons diagnosed as of December 31, 2017.

All data were obtained from Arkansas enhanced HIV/AIDS Reporting System (eHARS), accessed December 21, 2018.

DISCLAIMER:

Since January 2014, the Arkansas HIV Surveillance Program has been conducting data cleaning activities on Arkansas surveillance data to ensure the most accurate picture of the HIV epidemic in Arkansas. As a result of this process, you may notice a difference in the number of cases reported in previous issues of this document. Increased numbers of cases presented in this report partly reflect inclusion of incomplete case reports from prior years. For best estimates of new diagnoses for any specific year, one should refer to the annual Integrated HIV Epidemiologic Profile, which is published approximately one year after the HIV Annual Surveillance Summary report.

Technical Notes

In 2014, the Centers for Disease Control and Prevention (CDC) and the Council of State and Territorial Epidemiologists (CSTE) revised and combined the case definition for HIV infection into a single case definition for persons of all ages (i.e., adults and adolescents aged ≥ 13 years and children aged < 13 years). The case definition is the criterion that is used to determine whether a report of a particular disease is counted as an official case of that particular condition. The revisions were made primarily to address changes in laboratory diagnostic technology. Laboratory criteria for defining a confirmed case now accommodates new multi-test algorithms, including criteria for differentiating between HIV-1 and HIV-2 infection, as well as for recognizing early HIV infection. (MMWR April 11, 2014).

This document utilizes both the 2008 and 2014 case definitions. Data from 2013 and prior are classified based upon the 2008 case definition and all data for 2014 and later were classified based upon the revised 2014 case definition. The most important change to note is the staging; which is as follows: Stage 0, 1, 2, 3. Stages 0 thru 2 are HIV and Stage 3 is AIDS. HIV disease is the all-inclusive category of HIV and AIDS (Stages 0-3), regardless of disease progression. For more details on these changes, please visit: <http://www.cdc.gov/mmwr/preview/mmwrhtml/rr6303a1.htm>.

The Arkansas HIV Surveillance Report can be obtained online at:

<https://www.healthy.arkansas.gov/programs-services/topics/hiv-aids-sti-surveillance>

Information on how to report HIV and other sexually transmitted infections (STIs) may be obtained by contacting your local or regional health department or by calling (501) 661-2887.

Table of Contents

HIV Disease New Cases by Public Health Region..... 4

HIV Disease New Cases by Year..... 5

HIV Disease New Cases by Gender, Race/Ethnicity, Age, & Exposure Category
2017 6

Persons Living with HIV Disease by Gender, Race/Ethnicity, Age, & Exposure Category
2017 7


New Cases Regional Tables..... 9

Persons Living with HIV Disease Regional Tables 14

HIV Disease New Cases by County
2017 19

Persons Living with HIV Disease by County
2017 21

HIV Disease New Cases by Public Health Regions Arkansas, 2017 by Diagnosis Date



Stage 3 (with AIDS) New Cases is defined as the number of new AIDS cases diagnosed during the period specified. This includes persons originally diagnosed HIV (stages 0, 1 or 2), and progressed to AIDS sometime during the year. It also includes those diagnosed as HIV (stages 0, 1 or 2) in a previous year that progressed to AIDS in the specified year. Please note that a case is counted only once during a year even if the diagnostic status progresses from HIV to AIDS. Once the status of a case progress to AIDS, it remains, and is never reclassified as HIV. Only one stage 3 (AIDS) and HIV category applies to an individual within a single year.

HIV New Cases is defined as the number of new HIV (stages 0, 1 or 2) cases diagnosed during the period specified.

HIV Disease New Cases is defined as the sum of new HIV and new AIDS cases diagnosed during the period specified. Within each year, each case is only shown once (can be either an HIV (stages 0, 1 or 2) case or a stage 3 (AIDS) case).

HIV Disease New Cases by Year of Diagnosis Arkansas, 1980–2017

Year	Stage 3 (AIDS) New Cases*		HIV New Cases**		HIV Disease New Cases+	
	Number	Percent	Number	Percent	Number	Percent
1980-1989	386	36.3%	676	63.7%	1,062	100.0%
1990	165	36.9%	282	63.1%	447	100.0%
1991	226	42.2%	310	57.8%	536	100.0%
1992	261	49.7%	264	50.3%	525	100.0%
1993	253	50.1%	252	49.9%	505	100.0%
1994	239	49.3%	246	50.7%	485	100.0%
1995	227	49.9%	228	50.1%	455	100.0%
1996	209	52.3%	191	47.8%	400	100.0%
1997	202	50.2%	200	49.8%	402	100.0%
1998	171	46.7%	195	53.3%	366	100.0%
1999	152	44.6%	189	55.4%	341	100.0%
2000	152	42.5%	206	57.5%	358	100.0%
2001	181	49.9%	182	50.1%	363	100.0%
2002	194	55.7%	154	44.3%	348	100.0%
2003	178	52.5%	161	47.5%	339	100.0%
2004	165	49.1%	171	50.9%	336	100.0%
2005	196	51.3%	186	48.7%	382	100.0%
2006	175	50.1%	174	49.9%	349	100.0%
2007	172	47.9%	187	52.1%	359	100.0%
2008	119	37.5%	198	62.5%	317	100.0%
2009	170	44.5%	212	55.5%	382	100.0%
2010	151	46.5%	174	53.5%	325	100.0%
2011	121	38.5%	193	61.5%	314	100.0%
2012	128	40.9%	185	59.1%	313	100.0%
2013	154	44.8%	190	55.2%	344	100.0%
2014	139	36.0%	247	64.0%	386	100.0%
2015	130	38.7%	206	61.3%	336	100.0%
2016	109	31.1%	242	68.9%	351	100.0%
2017	135	37.1%	229	62.9%	364	100.0%
Cumulative Total	5,260	44.6%	6,530	55.4%	11,790	100.0%

* Stage 3 (with AIDS) New Cases is defined as the number of new AIDS cases diagnosed during the period specified. This includes persons originally diagnosed as HIV (stages 0, 1 or 2), and progressed to stage 3 (AIDS) sometime during the year. It also includes those diagnosed as HIV (stages 0, 1 or 2) in a previous year that progressed to stage 3 (AIDS) in the specified year. Please note that a case is counted only once during a year even if the diagnostic status progresses from HIV to AIDS. Once the status of case progresses to AIDS, it remains, and is never reclassified as HIV.

** HIV New Cases is defined as the number of new HIV (stages 0, 1 or 2) cases diagnosed during the period specified.

+ HIV Disease New Cases is defined as the sum of new HIV (stages 0, 1 or 2) cases and new stage 3 (AIDS) cases diagnosed during the period specified. Within each year, each case is only shown once (can be either an HIV (stages 0, 1 or 2) case or a stage 3 (AIDS) case).

**HIV Disease New Cases by Gender, Race/Ethnicity, Age, & Exposure Category
Arkansas, 2017 Diagnosis Year**

	Stage 3 (AIDS) New Cases+*		HIV New Cases**		HIV Disease New Cases+	
	Jan-Dec 2017		Jan-Dec 2017		Jan-Dec 2017	
Gender	Number	Percent	Number	Percent	Number	Percent
Female	23	17.0%	39	17.0%	62	17.0%
Male	112	83.0%	190	83.0%	302	83.0%
Total	135	100.0%	229	100.0%	364	100.0%

Race/Ethnicity	Number	Percent	Number	Percent	Number	Percent
White, non-Hispanic	38	28.1%	93	40.6%	131	36.0%
Black, non-Hispanic	70	51.9%	122	53.3%	192	52.7%
Am Indian/AK Native, non-Hispanic	-*	-*	-*	-*	-*	-*
Asian/HI/Pacific Islanders, non-Hispanic	-*	-*	-*	-*	-*	-*
Hispanic	19	14.1%	11	4.8%	30	8.2%
Other, non-Hispanic	-*	-*	-*	-*	11	3.0%
Total	135	100.0%	229	100.0%	364	100.0%

Age at Diagnosis	Number	Percent	Number	Percent	Number	Percent
<15	-*	-*	-*	-*	-*	-*
15-24	15	11.1%	75	32.8%	90	24.7%
25-34	52	38.5%	89	38.9%	141	38.7%
35-44	34	25.2%	34	14.8%	68	18.7%
45-54	23	17.0%	19	8.3%	42	11.5%
55-64	9	6.7%	10	4.4%	19	5.2%
65+	-*	-*	-*	-*	-*	-*
Total	135	100.0%	229	100.0%	364	100.0%

Exposure Category	Number	Percent	Number	Percent	Number	Percent
Male Sex w/ Male (MSM)	87	64.4%	149	65.1%	236	64.8%
Injection Drug Use (IDU)	5	3.7%	15	6.6%	20	5.5%
MSM & IDU	-*	-*	-*	-*	7	1.9%
High-risk Heterosexual	22	16.3%	30	13.1%	52	14.3%
Other++	-*	-*	-*	-*	-*	-*
No Identified/Reported Risk	18	13.3%	30	13.1%	48	13.2%
Total	135	100.0%	229	100.0%	364	100.0%

* Cell with less than 5 cases are suppressed.

+* Stage 3 (with AIDS) New Cases: the number of new AIDS cases diagnosed as of December 31, 2017. This includes persons originally diagnosed as HIV (stages 0, 1 or 2) and progressed to AIDS during the year.

** HIV New Cases: the number of new HIV (stages 0, 1 or 2) cases diagnosed as of December 31, 2017.

+ HIV Disease New Cases: the sum of the new HIV (stages 0, 1 or 2) cases and new AIDS cases diagnosed as of December 31, 2017.

++Other is defined as Transfusion/Hemophiliac and/or Perinatal Exposure.

**Persons Living with HIV Disease by Gender, Race/Ethnicity, Age, & Exposure Category
Arkansas, 2017**

	Persons Living with Stage 3 (AIDS)+*		Persons Living with HIV**		Persons Living with HIV Disease+	
	As of December 2017		As of December 2017		As of December 2017	
Gender	Number	Percent	Number	Percent	Number	Percent
Female	547	21.5%	762	23.1%	1,309	22.4%
Male	2,001	78.5%	2,539	76.9%	4,540	77.6%
Total	2,548	100.0%	3,301	100.0%	5,849	100.0%

Race/Ethnicity	Number	Percent	Number	Percent	Number	Percent
White, non-Hispanic	1,143	44.9%	1,492	45.2%	2,635	45.1%
Black, non-Hispanic	1,110	43.6%	1,509	45.7%	2,619	44.8%
Am Indian/AK Native, non-Hispanic	-*	-*	-*	-*	7	0.1%
Asian/HI/Pacific Is, non-Hispanic	11	0.4%	14	0.4%	25	0.4%
Hispanic	167	6.6%	189	5.7%	356	6.1%
Other, non-Hispanic	112	4.4%	83	2.5%	195	3.3%
Unknown	-*	-*	-*	-*	12	0.2%
Total	2,548	100.0%	3,301	100.0%	5,849	100.0%

Age as of December 2017	Number	Percent	Number	Percent	Number	Percent
<15	-*	-*	-*	-*	8	0.1%
15-24	44	1.7%	245	7.4%	289	4.9%
25-34	288	11.3%	763	23.1%	1,051	18.0%
35-44	497	19.5%	689	20.9%	1,186	20.3%
45-54	842	33.0%	836	25.3%	1,678	28.7%
55-64	674	26.5%	549	16.6%	1,223	20.9%
65+	202	7.9%	211	6.4%	413	7.1%
Unknown	-*	-*	-*	-*	-*	-*
Total	2,548	100.0%	3,301	100.0%	5,849	100.0%

Exposure Category	Number	Percent	Number	Percent	Number	Percent
Male Sex w/ Male (MSM)	1,449	56.9%	1,854	56.2%	3,303	56.5%
Injection Drug Use (IDU)	248	9.7%	264	8.0%	512	8.8%
MSM & IDU	126	4.9%	124	3.8%	250	4.3%
High-risk Heterosexual	531	20.8%	625	18.9%	1,156	19.8%
Transfusion/Hemophiliac	7	0.3%	8	0.2%	15	0.3%
Perinatal Exposure	18	0.7%	19	0.6%	37	0.6%
No Identified/Reported Risk	169	6.6%	407	12.3%	576	9.8%
Total	2,548	100.0%	3,301	100.0%	5,849	100.0%

* Cells with less than 5 counts are suppressed.

+* Persons Living with Stage 3 (with AIDS): the number of persons diagnosed as living with AIDS as of December 31, 2017. This includes persons who were originally diagnosed as HIV (stages 0, 1 or 2) and progressed to AIDS sometime during the year.

**Persons Living with HIV: the number of persons diagnosed as living with HIV (stages 0, 1 or 2) as of December 31, 2017.

+ Persons Living with HIV Disease: the sum of the number of persons diagnosed as living with HIV (stages 0, 1 or 2) and those living with stage 3 (AIDS) as of December 31, 2017.

REGIONAL TABLES

**Central Public Health Region (Faulkner, Garland, Grant, Lonoke, Perry, Pulaski, Saline)
HIV Disease New Cases by Gender, Race/Ethnicity, Age, & Exposure Category
Arkansas, 2017 Diagnosis Year**

	Stage 3 (AIDS) New Cases+*		HIV New Cases**		HIV Disease New Cases+	
	Jan-Dec 2017		Jan-Dec 2017		Jan-Dec 2017	
Gender	Number	Percent	Number	Percent	Number	Percent
Female	11	14.7%	18	16.2%	29	15.6%
Male	64	85.3%	93	83.8%	157	84.4%
Total	75	100.0%	111	100.0%	186	100.0%
Race/Ethnicity	Number	Percent	Number	Percent	Number	Percent
White, non-Hispanic	19	25.3%	36	32.4%	55	29.6%
Black, non-Hispanic	42	56.0%	65	58.6%	107	57.5%
Am Indian/AK Native, non-Hispanic	-*	-*	-*	-*	-*	-*
Asian/HI/Pacific Is, non-Hispanic	-*	-*	-*	-*	-*	-*
Hispanic	8	10.7%	8	7.2%	16	8.6%
Other, non-Hispanic	-*	-*	-*	-*	8	4.3%
Total	75	100.0%	111	100.0%	186	100.0%
Age at Diagnosis	Number	Percent	Number	Percent	Number	Percent
<15	-*	-*	-*	-*	-*	-*
15-24	10	13.3%	38	34.2%	48	25.8%
25-34	33	44.0%	43	38.7%	76	40.9%
35-44	17	22.7%	14	12.6%	31	16.7%
45-54	10	13.3%	8	7.2%	18	9.7%
55-64	-*	-*	-*	-*	10	5.4%
65+	-*	-*	-*	-*	-*	-*
Total	75	100.0%	111	100.0%	186	100.0%
Exposure Category	Number	Percent	Number	Percent	Number	Percent
Male Sex w/ Male (MSM)	48	64.0%	74	66.7%	122	65.6%
MSM & IDU	-*	-*	-*	-*	7	3.8%
High-risk Heterosexual	11	14.7%	12	10.8%	23	12.4%
Other++	-*	-*	-*	-*	5	2.7%
No Identified/Reported Risk	11	14.7%	18	16.2%	29	15.6%
Total	75	100.0%	111	100.0%	186	100.0%

*Cells with less than 5 counts are suppressed.

+* Stage 3 (with AIDS) New Cases: the number of new AIDS cases diagnosed as of December 31, 2017. This includes persons originally diagnosed as HIV (stages 0, 1 or 2) and progressed to AIDS during the year.

** HIV New Cases: the number of new HIV (stages 0, 1 or 2) cases diagnosed as of December 31, 2017.

+ HIV Disease New Cases: the sum of the new HIV (stages 0, 1 or 2) cases and new AIDS cases diagnosed as of December 31, 2017.

++Other is defined as Transfusion/Hemophiliac, Perinatal Exposure and/or.

**Northeast Public Health Region (Clay, Cleburne, Craighead, Crittenden, Cross, Fulton, Greene, Independence, Izard, Jackson, Lawrence, Mississippi, Poinsett, Randolph, Sharp, Stone, White, Woodruff)
HIV Disease New Cases by Gender, Race/Ethnicity, Age, & Exposure Category
Arkansas, 2017 Diagnosis Year**

	Stage 3 (AIDS) New Cases+*		HIV New Cases**		HIV Disease New Cases+	
	Jan–Dec 2017		Jan–Dec 2017		Jan–Dec 2017	
Gender	Number	Percent	Number	Percent	Number	Percent
Female	6	35.3%	8	26.7%	14	29.8%
Male	11	64.7%	22	73.3%	33	70.2%
Total	17	100.0%	30	100.0%	47	100.0%
Race/Ethnicity	Number	Percent	Number	Percent	Number	Percent
White, non-Hispanic	4	23.5%	13	43.3%	17	36.2%
Black, non-Hispanic	10	58.8%	17	56.7%	27	57.4%
Am Indian/AK Native, non-Hispanic	–*	–*	–*	–*	–*	–*
Asian/HI/Pacific Is, non-Hispanic	–*	–*	–*	–*	–*	–*
Hispanic	–*	–*	–*	–*	–*	–*
Other, non-Hispanic	–*	–*	–*	–*	–*	–*
Total	17	100.0%	30	100.0%	47	100.0%
Age at Diagnosis	Number	Percent	Number	Percent	Number	Percent
<15	–*	–*	–*	–*	–*	–*
15-24	–*	–*	–*	–*	17	36.2%
25-34	6	35.3%	8	26.7%	14	29.8%
35-44	–*	–*	–*	–*	9	19.1%
45-54	–*	–*	–*	–*	–*	–*
55-64	–*	–*	–*	–*	–*	–*
65+	–*	–*	–*	–*	–*	–*
Total	17	100.0%	30	100.0%	47	100.0%
Exposure Category	Number	Percent	Number	Percent	Number	Percent
Male Sex w/ Male (MSM)	8	47.1%	19	63.3%	27	57.4%
High-risk Heterosexual	4	23.5%	8	26.7%	12	25.5%
Other	–*	–*	–*	–*	–*	–*
No Identified/Reported Risk	–*	–*	–*	–*	5	10.6%
Total	17	100.0%	30	100.0%	47	100.0%

*Cells with less than 5 counts are suppressed.

+* Stage 3 (with AIDS) New Cases: the number of new AIDS cases diagnosed as of December 31, 2017. This includes persons originally diagnosed as HIV (stages 0, 1 or 2) and progressed to AIDS during the year.

** HIV New Cases: the number of new HIV (stages 0, 1 or 2) cases diagnosed as of December 31, 2017.

+ HIV Disease New Cases: the sum of the new HIV (stages 0, 1 or 2) cases and new AIDS cases diagnosed as of December 31, 2017.

++Other is defined as Transfusion/Hemophiliac, Perinatal Exposure and/or MSM & IDU.

Northwest Public Health Region (Baxter, Benton, Boone, Carroll, Conway, Crawford, Franklin, Johnson, Logan,
Madison, Marion, Newton, Pope, Scott, Searcy, Sebastian, Van Buren, Washington, Yell)
HIV Disease New Cases by Gender, Race/Ethnicity, Age, & Exposure Category
Arkansas, 2017 Diagnosis Year

	Stage 3 (AIDS) New Cases+*		HIV New Cases**		HIV Disease New Cases+	
	Jan-Dec 2017		Jan-Dec 2017		Jan-Dec 2017	
Gender	Number	Percent	Number	Percent	Number	Percent
Female	—*	—*	—*	—*	8	15.1%
Male	17	89.5%	28	82.4%	45	84.9%
Total	19	100.0%	34	100.0%	53	100.0%
Race/Ethnicity	Number	Percent	Number	Percent	Number	Percent
White, non-Hispanic	6	31.6%	25	73.5%	31	58.5%
Black, non-Hispanic	6	31.6%	6	17.6%	12	22.6%
Am Indian/AK Native, non-Hispanic	—*	—*	—*	—*	—*	—*
Asian/HI/Pacific Is, non-Hispanic	—*	—*	—*	—*	—*	—*
Hispanic	—*	—*	—*	—*	9	17.0%
Other, non-Hispanic	—*	—*	—*	—*	—*	—*
Total	19	100.0%	34	100.0%	53	100.0%
Age at Diagnosis	Number	Percent	Number	Percent	Number	Percent
<15	—*	—*	—*	—*	—*	—*
15-24	—*	—*	—*	—*	8	15.1%
25-34	—*	—*	—*	—*	18	34.0%
35-44	8	42.1%	8	23.5%	16	30.2%
45-54	—*	—*	—*	—*	10	18.9%
55-64	—*	—*	—*	—*	—*	—*
65+	—*	—*	—*	—*	—*	—*
Total	19	100.0%	34	100.0%	53	100.0%
Exposure Category	Number	Percent	Number	Percent	Number	Percent
Male Sex w/ Male (MSM)	13	68.4%	20	58.8%	33	62.3%
Injection Drug Use (IDU)	—*	—*	—*	—*	5	9.4%
MSM & IDU	0	0.0%	0	0.0%	0	0.0%
High-risk Heterosexual	—*	—*	—*	—*	9	17.0%
No Identified/Reported Risk	—*	—*	—*	—*	6	11.3%
Total	19	100.0%	34	100.0%	53	100.0%

*Cells with less than 5 counts are suppressed.

+* Stage 3 (with AIDS) New Cases: the number of new AIDS cases diagnosed as of December 31, 2017. This includes persons originally diagnosed as HIV (stages 0, 1 or 2) and progressed to AIDS during the year.

** HIV New Cases: the number of new HIV (stages 0, 1 or 2) cases diagnosed as of December 31, 2017.

+ HIV Disease New Cases: the sum of the new HIV (stages 0, 1 or 2) cases and new AIDS cases diagnosed as of December 31, 2017.

Southeast Public Health Region (Arkansas, Ashley, Bradley, Chicot, Cleveland, Desha, Drew, Jefferson, Lee,
Lincoln, Monroe, Phillip, Prairie, St. Francis)
HIV Disease New Cases by Gender, Race/Ethnicity, Age, & Exposure Category
Arkansas, 2017 Diagnosis Year

	Stage 3 (AIDS) New Cases+*		HIV New Cases**		HIV Disease New Cases+	
	Jan-Dec 2017		Jan-Dec 2017		Jan-Dec 2017	
Gender	Number	Percent	Number	Percent	Number	Percent
Female	—*	—*	—*	—*	—*	—*
Male	11	84.6%	15	88.2%	26	86.7%
Unknown	—*	—*	—*	—*	—*	—*
Total	13	100.0%	17	100.0%	30	100.0%
Race/Ethnicity	Number	Percent	Number	Percent	Number	Percent
White, non-Hispanic	—*	—*	—*	—*	8	26.7%
Black, non-Hispanic	9	69.2%	12	70.6%	21	70.0%
Am Indian/AK Native, non-Hispanic	—*	—*	—*	—*	—*	—*
Asian/HI/Pacific Is, non-Hispanic	—*	—*	—*	—*	—*	—*
Hispanic	—*	—*	—*	—*	—*	—*
Other, non-Hispanic	—*	—*	—*	—*	—*	—*
Total	13	100.0%	17	100.0%	30	100.0%
Age at Diagnosis	Number	Percent	Number	Percent	Number	Percent
<15	—*	—*	—*	—*	—*	—*
15-24	—*	—*	—*	—*	10	33.3%
25-34	—*	—*	—*	—*	10	33.3%
35-44	—*	—*	—*	—*	—*	—*
45-54	—*	—*	—*	—*	—*	—*
55-64	—*	—*	—*	—*	—*	—*
65+	—*	—*	—*	—*	—*	—*
Total	13	100.0%	17	100.0%	30	100.0%
Exposure Category	Number	Percent	Number	Percent	Number	Percent
Male Sex w/ Male (MSM)	10	76.9%	14	82.4%	24	80.0%
Injection Drug Use (IDU)	—*	—*	—*	—*	—*	—*
High-risk Heterosexual	—*	—*	—*	—*	—*	—*
Other++	—*	—*	—*	—*	—*	—*
No Identified/Reported Risk	—*	—*	—*	—*	—*	—*
Total	13	100.0%	17	100.0%	30	100.0%

*Cells with less than 5 counts are suppressed.

+* Stage 3 (with AIDS) New Cases: the number of new AIDS cases diagnosed as of December 31, 2017. This includes persons originally diagnosed as HIV (stages 0, 1 or 2) and progressed to AIDS during the year.

** HIV New Cases: the number of new HIV (stages 0, 1 or 2) cases diagnosed as of December 31, 2017.

+ HIV Disease New Cases: the sum of the new HIV (stages 0, 1 or 2) cases and new AIDS cases diagnosed as of December 31, 2017.

++Other is defined as Transfusion/Hemophiliac, Perinatal Exposure and/or MSM & IDU.

**Southwest Public Health Region (Calhoun, Clark, Columbia, Dallas, Hempstead, Hot Spring, Howard, Lafayette, Little River, Miller, Montgomery, Nevada, Ouachita, Pike, Polk, Sevier, Union)
HIV Disease New Cases by Gender, Race/Ethnicity, Age, & Exposure Category
Arkansas, 2017 Diagnosis Year**

	Stage 3 (AIDS) New Cases+*		HIV New Cases**		HIV Disease New Cases+	
	Jan-Dec 2017		Jan-Dec 2017		Jan-Dec 2017	
Gender	Number	Percent	Number	Percent	Number	Percent
Female	—*	—*	—*	—*	7	14.6%
Male	9	81.8%	32	86.5%	41	85.4%
Unknown	—*	—*	—*	—*	—*	—*
Total	11	100.0%	37	100.0%	48	100.0%
Race/Ethnicity	Number	Percent	Number	Percent	Number	Percent
White, non-Hispanic	6	54.5%	14	37.8%	20	41.7%
Black, non-Hispanic	—*	—*	—*	—*	25	52.1%
Am Indian/AK Native, non-Hispanic	—*	—*	—*	—*	—*	—*
Asian/HI/Pacific Is, non-Hispanic	—*	—*	—*	—*	—*	—*
Hispanic	—*	—*	—*	—*	—*	—*
Other, non-Hispanic	—*	—*	—*	—*	—*	—*
Total	11	100.0%	37	100.0%	48	100.0%
Age at Diagnosis	Number	Percent	Number	Percent	Number	Percent
<15	—*	—*	—*	—*	—*	—*
15-24	—*	—*	—*	—*	7	14.6%
25-34	—*	—*	—*	—*	23	47.9%
35-44	—*	—*	—*	—*	8	16.7%
45-54	—*	—*	—*	—*	8	16.7%
55-64	—*	—*	—*	—*	—*	—*
65+	—*	—*	—*	—*	—*	—*
Total	11	100.0%	37	100.0%	48	100.0%
Exposure Category	Number	Percent	Number	Percent	Number	Percent
Male Sex w/ Male (MSM)	8	72.7%	22	59.5%	30	62.5%
Injection Drug Use (IDU)	—*	—*	—*	—*	7	14.6%
High-risk Heterosexual	—*	—*	—*	—*	5	10.4%
Other++	0	0.0%	0	0.0%	0	0.0%
No Identified/Reported Risk	1	9.1%	5	13.5%	6	12.5%
Total	11	100.0%	37	100.0%	48	100.0%

*Cells with less than 5 counts are suppressed.

+* Stage 3 (with AIDS) New Cases: the number of new AIDS cases diagnosed as of December 31, 2017. This includes persons originally diagnosed as HIV (stages 0, 1 or 2) and progressed to AIDS during the year.

** HIV New Cases: the number of new HIV (stages 0, 1 or 2) cases diagnosed as of December 31, 2017.

+ HIV Disease New Cases: the sum of the new HIV (stages 0, 1 or 2) cases and new AIDS cases diagnosed as of December 31, 2017.

++Other is defined as Transfusion/Hemophiliac, Perinatal Exposure and/or MSM & IDU.

**Central Public Health Region (Faulkner, Garland, Grant, Lonoke, Perry, Pulaski, Saline)
Persons Living with HIV Disease by Gender, Race/Ethnicity, Age, & Exposure Category
Arkansas, 2017**

	Persons Living with Stage 3 (AIDS)+*		Persons Living with HIV**		Persons Living with HIV Disease+	
	As of December 2017		As of December 2017		As of December 2017	
Gender	Number	Percent	Number	Percent	Number	Percent
Female	202	18.2%	273	18.4%	475	18.3%
Male	905	81.8%	1,210	81.6%	2,115	81.7%
Total	1,107	100.0%	1,483	100.0%	2,590	100.0%
Race/Ethnicity	Number	Percent	Number	Percent	Number	Percent
White, non-Hispanic	444	40.1%	621	41.9%	1,065	41.1%
Black, non-Hispanic	535	48.3%	729	49.2%	1,264	48.8%
Am Indian/AK Native, non-Hispanic	-*	-*	-*	-*	-*	-*
Asian/HI/Pacific Islander, non-Hispanic	-*	-*	-*	-*	8	0.3%
Hispanic	60	5.4%	75	5.1%	135	5.2%
Other, non-Hispanic	61	5.5%	48	3.2%	109	4.2%
Unknown	-*	-*	-*	-*	5	0.2%
Total	1,107	100.0%	1,483	100.0%	2,590	100.0%
Age as of December 2017	Number	Percent	Number	Percent	Number	Percent
<15	-*	-*	-*	-*	-*	-*
15-24	28	2.5%	126	8.5%	154	5.9%
25-34	152	13.7%	390	26.3%	542	20.9%
35-44	206	18.6%	279	18.8%	485	18.7%
45-54	345	31.2%	360	24.3%	705	27.2%
55-64	288	26.0%	233	15.7%	521	20.1%
65+	87	7.9%	92	6.2%	179	6.9%
Unknown	-*	-*	-*	-*	-*	-*
Total	1,107	100.0%	1,483	100.0%	2,590	100.0%
Exposure Category	Number	Percent	Number	Percent	Number	Percent
Male Sex w/ Male (MSM)	694	62.7%	925	62.4%	1,619	62.5%
Injection Drug Use (IDU)	84	7.6%	74	5.0%	158	6.1%
MSM & IDU	47	4.2%	48	3.2%	95	3.7%
High-risk Heterosexual	188	17.0%	229	15.4%	417	16.1%
Transfusion/Hemophiliac	-*	-*	-*	-*	-*	-*
Perinatal Exposure	9	0.8%	9	0.6%	18	0.7%
No Identified/Reported Risk	83	7.5%	196	13.2%	279	10.8%
Total	1,107	100.0%	1,483	100.0%	2,590	100.0%

*Cells with less than 5 counts are suppressed.

* Persons Living with Stage 3 (with AIDS): the number of persons diagnosed as living with AIDS as of December 31, 2017. This includes persons who were originally diagnosed as HIV (stages 0, 1 or 2) and progressed to AIDS sometime during the year.

**Persons Living with HIV: the number of persons diagnosed as living with HIV (stages 0, 1 or 2) as of December 31, 2017.

+ Persons Living with HIV Disease: the sum of the number of persons diagnosed as living with HIV (stages 0, 1 or 2) and those living with stage 3 (AIDS) as of December 31, 2017.

**Northeast Public Health Region (Clay, Cleburne, Craighead, Crittenden, Cross, Fulton, Greene, Independence, Izard, Jackson, Lawrence, Mississippi, Poinsett, Randolph, Sharp, Stone, White, Woodruff)
Persons Living with HIV Disease by Gender, Race/Ethnicity, Age, & Exposure Category
Arkansas, 2017**

	Persons Living with Stage 3 (AIDS)+*		Persons Living with HIV**		Persons Living with HIV Disease+	
	As of December 2017		As of December 2017		As of December 2017	
Gender	Number	Percent	Number	Percent	Number	Percent
Female	95	29.6%	153	35.7%	248	33.1%
Male	226	70.4%	275	64.3%	501	66.9%
Total	321	100.0%	428	100.0%	749	100.0%
Race/Ethnicity	Number	Percent	Number	Percent	Number	Percent
White, non-Hispanic	147	45.8%	192	44.9%	339	45.3%
Black, non-Hispanic	146	45.5%	213	49.8%	359	47.9%
Am Indian/AK Native, non-Hispanic	-*	-*	-*	-*	-*	-*
Asian/HI/Pacific Islander, non-Hispanic	-*	-*	-*	-*	-*	-*
Hispanic	15	4.7%	18	4.2%	33	4.4%
Other, non-Hispanic	-*	-*	-*	-*	16	2.1%
Total	321	100.0%	428	100.0%	749	100.0%
Age as of December 2017	Number	Percent	Number	Percent	Number	Percent
<15	-*	-*	-*	-*	-*	-*
15-24	5	1.6%	36	8.4%	41	5.5%
25-34	36	11.2%	90	21.0%	126	16.8%
35-44	63	19.6%	108	25.2%	171	22.8%
45-54	115	35.8%	115	26.9%	230	30.7%
55-64	80	24.9%	63	14.7%	143	19.1%
65+	22	6.9%	15	3.5%	37	4.9%
Total	321	100.0%	428	100.0%	749	100.0%
Exposure Category	Number	Percent	Number	Percent	Number	Percent
Male Sex w/ Male (MSM)	167	52.0%	195	45.6%	362	48.3%
Injection Drug Use (IDU)	26	8.1%	43	10.0%	69	9.2%
MSM & IDU	12	3.7%	15	3.5%	27	3.6%
High-risk Heterosexual	91	28.3%	121	28.3%	212	28.3%
Transfusion/Hemophiliac	-*	-*	-*	-*	-*	-*
Perinatal Exposure	-*	-*	-*	-*	6	0.8%
No Identified/Reported Risk	22	6.9%	50	11.7%	72	9.6%
Total	321	100.0%	428	100.0%	749	100.0%

*Cells with less than 5 counts are suppressed.

+* Persons Living with Stage 3 (with AIDS): the number of persons diagnosed as living with AIDS as of December 31, 2017. This includes persons who were originally diagnosed as HIV (stages 0, 1 or 2) and progressed to AIDS sometime during the year.

**Persons Living with HIV: the number of persons diagnosed as living with HIV (stages 0, 1 or 2) as of December 31, 2017.

+ Persons Living with HIV Disease: the sum of the number of persons diagnosed as living with HIV (stages 0, 1 or 2) and those living with stage 3 (AIDS) as of December 31, 2017.

**Northwest Public Health Region (Baxter, Benton, Boone, Carroll, Conway, Crawford, Franklin, Johnson, Logan,
Madison, Marion, Newton, Pope, Scott, Searcy, Sebastian, Van Buren, Washington, Yell)
Persons Living with HIV Disease by Gender, Race/Ethnicity, Age, & Exposure Category
Arkansas, 2017**

	Persons Living with Stage 3 (AIDS)+*		Persons Living with HIV**		Persons Living with HIV Disease+	
	As of December 2017		As of December 2017		As of December 2017	
Gender	Number	Percent	Number	Percent	Number	Percent
Female	102	19.1%	133	21.5%	235	20.3%
Male	433	80.9%	487	78.5%	920	79.7%
Total	535	100.0%	620	100.0%	1,155	100.0%
Race/Ethnicity	Number	Percent	Number	Percent	Number	Percent
White, non-Hispanic	396	74.0%	476	76.8%	872	75.5%
Black, non-Hispanic	48	9.0%	67	10.8%	115	10.0%
Am Indian/AK Native, non-Hispanic	-*	-*	-*	-*	-*	-*
Asian/HI/Pacific Islander, non-Hispanic	-*	-*	-*	-*	12	1.0%
Hispanic	69	12.9%	61	9.8%	130	11.3%
Other, non-Hispanic	16	3.0%	7	1.1%	23	2.0%
Total	535	100.0%	620	100.0%	1,155	100.0%
Age as of December 2017	Number	Percent	Number	Percent	Number	Percent
<15	-*	-*	-*	-*	-*	-*
15-24	-*	-*	-*	-*	26	2.3%
25-34	39	7.3%	97	15.6%	136	11.8%
35-44	99	18.5%	142	22.9%	241	20.9%
45-54	191	35.7%	163	26.3%	354	30.6%
55-64	159	29.7%	135	21.8%	294	25.5%
65+	43	8.0%	59	9.5%	102	8.8%
Total	535	100.0%	620	100.0%	1,155	100.0%
Exposure Category	Number	Percent	Number	Percent	Number	Percent
Male Sex w/ Male (MSM)	313	58.5%	353	56.9%	666	57.7%
Injection Drug Use (IDU)	63	11.8%	65	10.5%	128	11.1%
MSM & IDU	36	6.7%	34	5.5%	70	6.1%
High-risk Heterosexual	95	17.8%	96	15.5%	191	16.5%
Transfusion/Hemophiliac	-*	-*	-*	-*	5	0.4%
Perinatal Exposure	-*	-*	-*	-*	6	0.5%
No Identified/Reported Risk	24	4.5%	65	10.5%	89	7.7%
Total	535	100.0%	620	100.0%	1,155	100.0%

*Cells with less than 5 counts are suppressed.

+* Persons Living with Stage 3 (with AIDS): the number of persons diagnosed as living with AIDS as of December 31, 2017. This includes persons who were originally diagnosed as HIV (stages 0, 1 or 2) and progressed to AIDS sometime during the year.

**Persons Living with HIV: the number of persons diagnosed as living with HIV (stages 0, 1 or 2) as of December 31, 2017.

+ Persons Living with HIV Disease: the sum of the number of persons diagnosed as living with HIV (stages 0, 1 or 2) and those living with stage 3 (AIDS) as of December 31, 2017.

**Southeast Public Health Region (Arkansas, Ashley, Bradley, Chicot, Cleveland, Desha, Drew, Jefferson, Lee,
Lincoln, Monroe, Phillip, Prairie, St. Francis)**

**Persons Living with HIV Disease by Gender, Race/Ethnicity, Age, & Exposure Category
Arkansas, 2017**

	Persons Living with Stage 3 (AIDS)+*		Persons Living with HIV**		Persons Living with HIV Disease+	
	As of December 2017		As of December 2017		As of December 2017	
Gender	Number	Percent	Number	Percent	Number	Percent
Female	79	24.3%	113	26.5%	192	25.6%
Male	246	75.7%	313	73.5%	559	74.4%
Total	325	100.0%	426	100.0%	751	100.0%
Race/Ethnicity	Number	Percent	Number	Percent	Number	Percent
White, non-Hispanic	61	18.8%	84	19.7%	145	19.3%
Black, non-Hispanic	236	72.6%	308	72.3%	544	72.4%
Am Indian/AK Native, non-Hispanic	—*	—*	—*	—*	—*	—*
Asian/HI/Pacific Islander, non-Hispanic	—*	—*	—*	—*	—*	—*
Hispanic	10	3.1%	21	4.9%	31	4.1%
Other, non-Hispanic	16	4.9%	10	2.3%	26	3.5%
Unknown	—*	—*	—*	—*	2	0.3%
Total	325	100.0%	426	100.0%	751	100.0%
Age as of December 2017	Number	Percent	Number	Percent	Number	Percent
<15	—*	—*	—*	—*	—*	—*
15-24	5	1.5%	33	7.7%	38	5.1%
25-34	39	12.0%	89	20.9%	128	17.0%
35-44	74	22.8%	89	20.9%	163	21.7%
45-54	108	33.2%	119	27.9%	227	30.2%
55-64	78	24.0%	73	17.1%	151	20.1%
65+	21	6.5%	21	4.9%	42	5.6%
Total	325	100.0%	426	100.0%	751	100.0%
Exposure Category	Number	Percent	Number	Percent	Number	Percent
Male Sex w/ Male (MSM)	150	46.2%	209	49.1%	359	47.8%
Injection Drug Use (IDU)	44	13.5%	46	10.8%	90	12.0%
MSM & IDU	17	5.2%	13	3.1%	30	4.0%
High-risk Heterosexual	85	26.2%	102	23.9%	187	24.9%
Transfusion/Hemophiliac	—*	—*	—*	—*	—*	—*
Perinatal Exposure	—*	—*	—*	—*	—*	—*
No Identified/Reported Risk	25	7.7%	53	12.4%	78	10.4%
Total	325	100.0%	426	100.0%	751	100.0%

*Cells with less than 5 counts are suppressed.

+* Persons Living with Stage 3 (with AIDS): the number of persons diagnosed as living with AIDS as of December 31, 2017. This includes persons who were originally diagnosed as HIV (stages 0, 1 or 2) and progressed to AIDS sometime during the year.

**Persons Living with HIV: the number of persons diagnosed as living with HIV (stages 0, 1 or 2) as of December 31, 2017.

+ Persons Living with HIV Disease: the sum of the number of persons diagnosed as living with HIV (stages 0, 1 or 2) and those living with stage 3 (AIDS) as of December 31, 2017.

**Southwest Public Health Region (Calhoun, Clark, Columbia, Dallas, Hempstead, Hot Spring, Howard, Lafayette,
Little River, Miller, Montgomery, Nevada, Ouachita, Pike, Polk, Sevier, Union)
Persons Living with HIV Disease by Gender, Race/Ethnicity, Age, & Exposure Category
Arkansas, 2017**

	Persons Living with Stage 3 (AIDS)+*		Persons Living with HIV**		Persons Living with HIV Disease+	
	As of December 2017		As of December 2017		As of December 2017	
Gender	Number	Percent	Number	Percent	Number	Percent
Female	69	26.5%	90	26.2%	159	26.3%
Male	191	73.5%	254	73.8%	445	73.7%
Total	260	100.0%	344	100.0%	604	100.0%
Race/Ethnicity	Number	Percent	Number	Percent	Number	Percent
White, non-Hispanic	95	36.5%	119	34.6%	214	35.4%
Black, non-Hispanic	145	55.8%	192	55.8%	337	55.8%
Am Indian/AK Native, non-Hispanic	—*	—*	—*	—*	—*	—*
Asian/HI/Pacific Is, non-Hispanic	—*	—*	—*	—*	—*	—*
Hispanic	13	5.0%	14	4.1%	27	4.5%
Other, non-Hispanic	7	2.7%	14	4.1%	21	3.5%
Unknown	—*	—*	—*	—*	5	0.8%
Total	260	100.0%	344	100.0%	604	100.0%
Age as of December 2017	Number	Percent	Number	Percent	Number	Percent
<15	—*	—*	—*	—*	—*	—*
15-24	—*	—*	—*	—*	30	5.0%
25-34	22	8.5%	97	28.2%	119	19.7%
35-44	55	21.2%	71	20.6%	126	20.9%
45-54	83	31.9%	79	23.0%	162	26.8%
55-64	69	26.5%	45	13.1%	114	18.9%
65+	29	11.2%	24	7.0%	53	8.8%
Total	260	100.0%	344	100.0%	604	100.0%
Exposure Category	Number	Percent	Number	Percent	Number	Percent
Male Sex w/ Male (MSM)	125	48.1%	172	50.0%	297	49.2%
Injection Drug Use (IDU)	31	11.9%	36	10.5%	67	11.1%
MSM & IDU	14	5.4%	14	4.1%	28	4.6%
High-risk Heterosexual	72	27.7%	77	22.4%	149	24.7%
Transfusion/Hemophiliac	—*	—*	—*	—*	—*	—*
Perinatal Exposure	—*	—*	—*	—*	—*	—*
No Identified/Reported Risk	15	5.8%	43	12.5%	58	9.6%
Total	260	100.0%	344	100.0%	604	100.0%

*Cells with less than 5 counts are suppressed.

+* Persons Living with Stage 3 (with AIDS): the number of persons diagnosed as living with AIDS as of December 31, 2017. This includes persons who were originally diagnosed as HIV (stages 0, 1 or 2) and progressed to AIDS sometime during the year.

**Persons Living with HIV: the number of persons diagnosed as living with HIV (stages 0, 1 or 2) as of December 31, 2017.

+ Persons Living with HIV Disease: the sum of the number of persons diagnosed as living with HIV (stages 0, 1 or 2) and those living with stage 3 (AIDS) as of December 31, 2017.

**HIV Disease New Cases by County
Arkansas, 2017 Diagnosis Year**

County	Stage 3 (AIDS) New Cases*		HIV New Cases**		HIV Disease New Cases+	
	Number	Percent	Number	Percent	Number	Percent
ARKANSAS	—*	—*	—*	—*	—*	—*
ASHLEY	—*	—*	—*	—*	—*	—*
BAXTER	—*	—*	—*	—*	—*	—*
BENTON	—*	—*	—*	—*	12	3.3%
BOONE	—*	—*	—*	—*	—*	—*
BRADLEY	—*	—*	—*	—*	—*	—*
CALHOUN	—*	—*	—*	—*	—*	—*
CARROLL	—*	—*	—*	—*	—*	—*
CHICOT	—*	—*	—*	—*	—*	—*
CLARK	—*	—*	—*	—*	—*	—*
CLAY	—*	—*	—*	—*	—*	—*
CLEBURNE	—*	—*	—*	—*	—*	—*
CLEVELAND	—*	—*	—*	—*	—*	—*
COLUMBIA	—*	—*	—*	—*	—*	—*
CONWAY	—*	—*	—*	—*	—*	—*
CRAIGHEAD	5	3.7%	7	3.1%	12	3.3%
CRAWFORD	—*	—*	—*	—*	—*	—*
CRITTENDEN	—*	—*	—*	—*	7	1.9%
CROSS	—*	—*	—*	—*	—*	—*
DALLAS	—*	—*	—*	—*	—*	—*
DESHA	—*	—*	—*	—*	—*	—*
DREW	—*	—*	—*	—*	—*	—*
FAULKNER	9	6.7%	9	3.9%	18	4.9%
FRANKLIN	—*	—*	—*	—*	—*	—*
FULTON	—*	—*	—*	—*	—*	—*
GARLAND	—*	—*	—*	—*	7	1.9%
GRANT	—*	—*	—*	—*	—*	—*
GREENE	—*	—*	—*	—*	—*	—*
HEMPSTEAD	—*	—*	—*	—*	—*	—*
HOT SPRING	—*	—*	—*	—*	15	4.1%
HOWARD	—*	—*	—*	—*	—*	—*
INDEPENDENCE	—*	—*	—*	—*	—*	—*
IZARD	—*	—*	—*	—*	—*	—*
JACKSON	—*	—*	—*	—*	—*	—*
JEFFERSON	6	4.4%	9	3.9%	15	4.1%
JOHNSON	—*	—*	—*	—*	—*	—*
LAFAYETTE	—*	—*	—*	—*	—*	—*
LAWRENCE	—*	—*	—*	—*	—*	—*
LEE	—*	—*	—*	—*	—*	—*
LINCOLN	—*	—*	—*	—*	—*	—*
LITTLE RIVER	—*	—*	—*	—*	—*	—*

**HIV Disease New Cases by County
Arkansas, 2017 Diagnosis Year**

County	Stage 3 (AIDS) New Cases*		HIV New Cases**		HIV Disease New Cases+	
	Jan–Dec 2017		Jan–Dec 2017		Jan–Dec 2017	
	Number	Percent	Number	Percent	Number	Percent
LOGAN	—*	—*	—*	—*	—*	—*
LONOKE	—*	—*	—*	—*	5	1.4%
MADISON	—*	—*	—*	—*	—*	—*
MARION	—*	—*	—*	—*	—*	—*
MILLER	—*	—*	—*	—*	11	3.0%
MISSISSIPPI	—*	—*	—*	—*	8	2.2%
MONROE	—*	—*	—*	—*	—*	—*
MONTGOMERY	—*	—*	—*	—*	—*	—*
NEVADA	—*	—*	—*	—*	—*	—*
NEWTON	—*	—*	—*	—*	—*	—*
OUACHITA	—*	—*	—*	—*	—*	—*
PERRY	—*	—*	—*	—*	—*	—*
PHILLIPS	—*	—*	—*	—*	—*	—*
PIKE	—*	—*	—*	—*	—*	—*
POINSETT	—*	—*	—*	—*	—*	—*
POLK	—*	—*	—*	—*	—*	—*
POPE	—*	—*	—*	—*	—*	—*
PRAIRIE	—*	—*	—*	—*	—*	—*
PULASKI	56	41.5%	93	40.6%	149	40.9%
RANDOLPH	—*	—*	—*	—*	—*	—*
SALINE	—*	—*	—*	—*	5	1.4%
SCOTT	—*	—*	—*	—*	—*	—*
SEARCY	—*	—*	—*	—*	—*	—*
SEBASTIAN	7	5.2%	6	2.6%	13	3.6%
SEVIER	—*	—*	—*	—*	—*	—*
SHARP	—*	—*	—*	—*	—*	—*
ST FRANCIS	—*	—*	—*	—*	—*	—*
STONE	—*	—*	—*	—*	—*	—*
UNION	—*	—*	—*	—*	—*	—*
VAN BUREN	—*	—*	—*	—*	—*	—*
WASHINGTON	5	3.7%	15	6.6%	20	5.5%
WHITE	—*	—*	—*	—*	7	1.9%
WOODRUFF	—*	—*	—*	—*	—*	—*
YELL	—*	—*	—*	—*	—*	—*
State Total	135	100.0%	229	100.0%	364	100.0%

*Cell sizes less than 5 cannot be reported.

**Persons Living with HIV Disease by County
Arkansas, 2017**

County	Persons Living with Stage 3 (AIDS)*		Persons Living with HIV**		Persons Living with HIV Disease+	
	As of December 2017		As of December 2017		As of December 2017	
County	Number	Percent	Number	Percent	Number	Percent
ARKANSAS	13	0.5%	19	0.6%	32	0.5%
ASHLEY	13	0.5%	8	0.2%	21	0.4%
BAXTER	12	0.5%	16	0.5%	28	0.5%
BENTON	115	4.5%	119	3.6%	234	4.0%
BOONE	13	0.5%	11	0.3%	24	0.4%
BRADLEY	-*	-*	-*	-*	12	0.2%
CALHOUN	7	0.3%	5	0.2%	12	0.2%
CARROLL	15	0.6%	24	0.7%	39	0.7%
CHICOT	14	0.5%	11	0.3%	25	0.4%
CLARK	16	0.6%	15	0.5%	31	0.5%
CLAY	7	0.3%	6	0.2%	13	0.2%
CLEBURNE	7	0.3%	7	0.2%	14	0.2%
CLEVELAND	9	0.4%	5	0.2%	14	0.2%
COLUMBIA	16	0.6%	20	0.6%	36	0.6%
CONWAY	13	0.5%	7	0.2%	20	0.3%
CRAIGHEAD	62	2.4%	82	2.5%	144	2.5%
CRAWFORD	23	0.9%	27	0.8%	50	0.9%
CRITTENDEN	77	3.0%	140	4.2%	217	3.7%
CROSS	13	0.5%	19	0.6%	32	0.5%
DALLAS	-*	-*	-*	-*	-*	-*
DESHA	11	0.4%	13	0.4%	24	0.4%
DREW	7	0.3%	11	0.3%	18	0.3%
FAULKNER	75	2.9%	79	2.4%	154	2.6%
FRANKLIN	6	0.2%	8	0.2%	14	0.2%
FULTON	-*	-*	-*	-*	8	0.1%
GARLAND	91	3.6%	103	3.1%	194	3.3%
GRANT	9	0.4%	9	0.3%	18	0.3%
GREENE	16	0.6%	13	0.4%	29	0.5%
HEMPSTEAD	10	0.4%	19	0.6%	29	0.5%
HOT SPRING	25	1.0%	46	1.4%	71	1.2%
HOWARD	8	0.3%	15	0.5%	23	0.4%
INDEPENDENCE	17	0.7%	19	0.6%	36	0.6%
IZARD	-*	-*	-*	-*	8	0.1%
JACKSON	12	0.5%	17	0.5%	29	0.5%
JEFFERSON	155	6.1%	223	6.8%	378	6.5%
JOHNSON	-*	-*	-*	-*	9	0.2%
LAFAYETTE	-*	-*	-*	-*	13	0.2%
LAWRENCE	-*	-*	-*	-*	6	0.1%
LEE	17	0.7%	24	0.7%	41	0.7%
LINCOLN	10	0.4%	8	0.2%	18	0.3%
LITTLE RIVER	7	0.3%	12	0.4%	19	0.3%

**Persons Living with HIV Disease by County
Arkansas, 2017**

County	Persons Living with Stage 3 (AIDS)*		Persons Living with HIV**		Persons Living with HIV Disease+	
	As of December 2017		As of December 2017		As of December 2017	
	Number	Percent	Number	Percent	Number	Percent
LOGAN	-*	-*	-*	-*	11	0.2%
LONOKE	28	1.1%	35	1.1%	63	1.1%
MADISON	6	0.2%	11	0.3%	17	0.3%
MARION	8	0.3%	5	0.2%	13	0.2%
MILLER	45	1.8%	85	2.6%	130	2.2%
MISSISSIPPI	38	1.5%	54	1.6%	92	1.6%
MONROE	11	0.4%	10	0.3%	21	0.4%
MONTGOMERY	-*	-*	-*	-*	5	0.1%
NEVADA	5	0.2%	10	0.3%	15	0.3%
NEWTON	-*	-*	-*	-*	6	0.1%
OUACHITA	26	1.0%	28	0.8%	54	0.9%
PERRY	-*	-*	-*	-*	-*	-*
PHILLIPS	17	0.7%	38	1.2%	55	0.9%
PIKE	-*	-*	-*	-*	-*	-*
POINSETT	11	0.4%	11	0.3%	22	0.4%
POLK	8	0.3%	7	0.2%	15	0.3%
POPE	25	1.0%	31	0.9%	56	1.0%
PRAIRIE	-*	-*	-*	-*	7	0.1%
PULASKI	883	34.7%	1,221	37.0%	2,104	36.0%
RANDOLPH	-*	-*	-*	-*	10	0.2%
SALINE	20	0.8%	33	1.0%	53	0.9%
SCOTT	-*	-*	-*	-*	6	0.1%
SEARCY	-*	-*	-*	-*	5	0.1%
SEBASTIAN	102	4.0%	137	4.2%	239	4.1%
SEVIER	9	0.4%	6	0.2%	15	0.3%
SHARP	-*	-*	-*	-*	6	0.1%
ST FRANCIS	42	1.6%	43	1.3%	85	1.5%
STONE	-*	-*	-*	-*	7	0.1%
UNION	69	2.7%	60	1.8%	129	2.2%
VAN BUREN	-*	-*	-*	-*	8	0.1%
WASHINGTON	166	6.5%	192	5.8%	358	6.1%
WHITE	37	1.5%	34	1.0%	71	1.2%
WOODRUFF	-*	-*	-*	-*	5	0.1%
YELL	7	0.3%	11	0.3%	18	0.3%
State Total	2,548	100.0%	3,301	100.0%	5,849	100.0%

*Cell sizes less than 5 cannot be reported.

Contact Information

Infectious Disease Branch
Arkansas Department of Health
4815 West Markham, Slot 33
Little Rock, AR 72205
(501) 661-2971
(501) 661-2887

Epidemiology Branch
Arkansas Department of Health
4815 West Markham, Slot 32
Little Rock, AR 72205
(501) 280-4184

