



ARKANSAS DEPARTMENT OF HEALTH
AUTHORIZED
ONSITE WASTEWATER
PRODUCTS LIST

ARKANSAS DEPARTMENT OF HEALTH
AUTHORIZED
ONSITE WASTEWATER
PRODUCTS LIST

TABLE OF CONTENTS

<u>AEROBIC BIOLOGICAL GENERATORS</u>	<u>3</u>
<u>COMPOSTING TOILETS</u>	<u>3</u>
<u>DISTRIBUTION BOXES</u>	<u>3</u>
<u>DIVERSION DEVICES</u>	<u>4</u>
<u>DOSING SIPHONS</u>	<u>4</u>
<u>DRIP DISPERSAL TUBING</u>	<u>4</u>
<u>EFFLUENT FILTERS</u>	<u>4</u>
<u>EFFLUENT FILTERS (PRESSURE)</u>	<u>5</u>
<u>EFFLUENT FLOW CONTROL DEVICES</u>	<u>5</u>
<u>HOLDING TANKS</u>	<u>5</u>
<u>INLET AND OUTLET SEALS</u>	<u>5</u>
<u>PUMP TANKS</u>	<u>6</u>
<u>PUMP BASINS</u>	<u>6</u>
<u>PUMP VAULTS</u>	<u>6</u>
<u>SEPTIC TANKS (FIBERGLASS)</u>	<u>7</u>
<u>SEPTIC TANKS (PLASTIC)</u>	<u>7</u>
<u>TRENCH MEDIA -GRAVEL SUBSTITUTES</u>	<u>8</u>
<u>WASTEWATER DISINFECTION PRODUCTS</u>	<u>10</u>
<u>WASTEWATER DISINFECTION UNITS</u>	<u>10</u>
<u>WASTEWATER TREATMENT UNITS</u>	<u>11</u>
<u>WASTEWATER TREATMENT UNITS W/UV</u>	<u>14</u>

ARKANSAS DEPARTMENT OF HEALTH AUTHORIZED ONSITE WASTEWATER PRODUCTS LIST

This is a listing of products authorized for use with standard, alternate, and experimental sewage disposal systems that are in addition to the products listed in the Rules and Regulations Pertaining to Onsite Wastewater Systems. All products shall be installed in accordance with manufacturers' directions.

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
AEROBIC BIOLOGICAL GENERATORS	AQUA TEST 800-221-3159	Nibbler Models 1 CPB & 2 CPB
	BIO-MICROBICS 800-753-3278	High Strength FAST / commercial applications for effluent pre-treatment Retro FAST / renovation / enhancement of residential sewage systems
	INFILTRATOR WATER TECHNOLOGIES LLC 800-221-4436	Aquaworx Remediator Aerobic Biological Generator (Replaceable bacteria pack available)
	KNIGHT TREATMENT SYSTEMS 800-560-2454	White Knight Aerobic Biological Generator. Replaceable bacteria pack available
	SLUDGE HAMMER 231-348-5866	Sludge Hammer Models S-46,S-66,S-86,S-126,S-156
COMPOSTING TOILETS	CLIVUS MULTRUM, INC. 508-794-1700 SUN MAR CORP. 416-332-1314	Composting toilets are for human body wastes only. All other liquid wastes must be disposed of by a method and in a manner approved by the Arkansas Department of Health.
DISTRIBUTION BOXES (D-BOXES) *LEVELING DEVICES AVAILABLE	AMERICAN MANUFACTURING COMPANY, INC 800-345-3132	* 4-8 hole polyethylene D-boxes
	CLARUS ENVIRONMENTAL 501-513-4751	Model Tru-Flow 173-0001 / 5 outlet polyethylene D-box / can be re-leveled easily after installation
	POLYLOK 888-765-9565	* Model 3017-12 (4 Hole) * Model 3017 -20 (7 Hole)
	TUFF-TITE 800-382-7009	* 4-8 hole polyethylene D-boxes

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
DIVERSION DEVICES	AMERICAN MANUFACTURING COMPANY, INC. 800-345-3132	4 inch, PVC, two position Bull Run Valve supplied with direction control handle / water-tight
	QUANICS, INC. 877-782-6427	GDS-ZS-300 D Flow Director / PVC, tee style construction / comes with direction control handle
DOSING SIPHONS	ORENCO SYSTEMS, INC. 800-348-9843	2 & 3 inch siphons for residential / commercial sizes available
DRIP DISPERSAL TUBING	GEO-FLOW 800-828-3388	All drip tubing must use pressure-compensating emitters.
	NETAFIM 610-222-9989	All drip tubing must use pressure-compensating emitters.
EFFLUENT FILTERS	BOWCO 800-232-9991	EF-235
	CLARUS ENVIRONMENTAL 800-928-7867	Model WW4 P/N 5000-007 / up to 4000 gpm, WW1 P/N 170-0078
	NORWECO, INC. 419-668-4471	BK 2000 Bio-Kinetic Wastewater Management System (includes an effluent filter and a disinfection unit)
	ORENCO SYSTEMS, INC. 800-348-9843	Biotube Effluent Filter. 4, 6, & 8 inch diameters for residential & small commercial applications.
	POLYLOK, INC. 888-765-9565	PL-122 Must attach to sch. 40 outlet pipe (not to tank wall) PL-68/fits into existing Sch. 40 outlet baffle PL-525 Septic Tank Effluent, PL-625 Grease Trap Effluent
	TUF-TITE, INC. 800-382-7009	Model EF-4, Model EF-6/only use in tanks with 36-39 inch liquid depth, Model P/N 170-0078
	ZABEL, INC. / POLYLOK, INC. 800-221-5742	Models: A100-10X16, A100-10X30, A300-10X20, A300-10X30, A1800-4X18, A1800-4X22, A100-8X12, A100-8X18, A100-8X26, A100-8X32, A300-8X12, A300-8X18, A300-8X26, A300-8X32

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
EFFLUENT FILTERS (PRESSURE)	GAG SIM-TECH 888-999-3290	STF-100 Series - For use with pumped (dosed) systems / installed downstream from pump in the dose chamber.
	POLYLOK, INC. 888-765-9565	Models 3014 PF & 3014 PFP / one micron filter sock available PDS-PF-1.5 & PDS-PF-2.0 / For use with pumped (dosed) systems / installed downstream from pump in the dose chamber
EFFLUENT FLOW CONTROL DEVICES	QUANICS, INC. 877-782-6427	GDS-ZS-300 Flow Divider (divides effluent flow into two equal flows) Dipper box / 4 or 6 outlets
HOLDING TANKS (PLASTIC)	INFILTRATOR WATER TECHNOLOGIES LLC 800-221-4436	IM-1060, IM1250, IM-1530, CM1060
	NORWESCO, INC. 800-328-3420	Low Profile 1000, 1250, 1500 gallon
	ROTH GLOBAL PLASTICS 866-943-7256	RMT 1000,1060,1250,1500
INLET AND OUTLET SEALS FOR SEPTIC TANKS, DOSE TANKS, and DISTRIBUTION BOXES NOTE: Seals to be cast in concrete septic tanks during manufacture. All seals used with septic tanks & dose chambers must pass the ASTM 923 water tightness test. Seals not passing this test may be used in “no pressure” applications such as distribution boxes. * Designed to pass ASTM 923 watertight test	POLYLOK, INC. 888-765-9565	POLYLOK I – Black / Not designed to pass ASTM 923 water-tight test POLYLOK II – Red POLYLOK III – High pressure seal POLYLOK IV – Rubber Boot Seal
	PRESS-SEAL GASKET CORPORATION 800-348-7325 TUF-TITE, INC. 800-382-7009	CAST-A-SEAL 402, 402F, 964
	TUF-TITE, INC 800-382-7009	TS-RB4 – Rubber Boot Seal
		TS-4NW - Not designed to pass ASTM 923 water-tight test

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
PUMP BASINS	STEELE PLASTICS, INC. 501-327-5122	Filament Wound Straight Wall Fiberglass Basin
PUMP TANKS Note: All tanks to be installed in accordance with manufactures' directions.	INFILTRATOR WATER TECHNOLOGIES LCC 800-221-4436	IM Series-300, 540, 1060, 1250,1530 CM Series 1060
	NORWESCO, INC. 800-328-3420	Bruiser heavy duty septic tank 1000, 1250, 1500 gallon Low Profile: 750, 1000, 1250, 1500-gal Spherical: 200, 200LP, 300, 325LP, 500, 525LP Rochester Rotational Molding 1000, 1250, 1500 gallon
	ROTH GLOBAL PLASTICS 866-943-7256	RMT 900, 1000E, 1060, 1250, 1500 gallon heavy duty septic tank
	DEN HARTOG/ACE ROTO MOLD 712-752-8432	Spherical: 300 and 500 gallons
	PRO-GLAS 479-636-0560	Spherical: 300 and 500 gallons Fiberglass: 1000 and 1500 gallons
	SNYDER INDUSTRIES, INC. 402-467-5221	1050, 1250, 1500-gallon heavy duty septic tank Spherical: 300 and 500 gallon
	AK INDUSTRIES, INC 574-936-2542	Spherical: 300 Gallon
	PUMP VAULTS Note: Special use conditions apply including 250-gallon increase in septic tank size, 3 inch maximum draw-down, minimum of 3 feet from inlet baffle to vault, inlet of pump vault to fall between 35 to 45 percent of liquid level, and audio/visual alarm required.	ADENUS 888-423-3687
CLARUS ENVIRONMENTAL 800-928-7867		Centrifugal STEP System, 5040 Series Turbine STEP System, 5041 Series
CONCENTRIC PUMP VAULTS 406-227-6792		BPF-8 12 FI
INFILTRATOR WATER TECHNOLOGY (formerly delta treatment systems) 800-219-9183		DEPV-49-20-1 DEPV-57-20-1
ORENCO, INC. 800-348-9843		Biotube pump vault - PVU Series
QUANICS, INC. 877-782-6427		FPV-H-44-2 & FPV-H-A101 / May not be used in septic tanks where the inlet of the pump vault is less than 40% of the liquid depth

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
SEPTIC TANKS (FIBERGLASS) Note: All tanks to be installed in accordance with manufactures' directions and be supplied with inlet and outlet baffles.	ALPHA GENERAL SERVICES, INC. 863-382-1544	1050, 1200, 1350, 1500, 1650, 2200, 2700, 3200, 3700, 4300, 4800, 5300, 5800 gallon
	ARKANSAS COMPOSITES INC. 501-796-8469	250, 500, 1000, 1250, 1500, 2000, 3000, 4000, 5000 gallon
	CONTAINMENT SOLUTIONS 800-537-4730	Custom built up to 50,000 gallon
	DESERT SUN 623-869-0907	1000, 1250, 1500, 1750, 2000 gallon
	ORENCO, INC. 800-348-9843	Fiberglass tanks manufactured by Orenco Systems, Inc. in 500, 1000, 1500- and 2000-gallon sizes with or without baffle walls
	PRO-GLASS 479-636-0560	1000 and 1500 gallon (holding tank option)
	SOUTHERN MANUFACTURING 409-962-4501	1000 gallon
	XERXES® ZCL, INC. 952-887-1890	Custom built up to 62,000 gallon
SEPTIC TANKS (PLASTIC) Note: All tanks to be installed in accordance with manufactures' directions and supplied with inlet and outlet baffles.	A.K. INDUSTRIES 219-936-6022	1000, 1300 gallon
	COON MANUFACTURING 800-843-1532	1000, 1500 gallon
	DEN HARTOG INDUSTRIES 712-752-8432	AST-1000-2, AST-1000-1, AST- 1250-1, AST-1250-2, AST-1500-2, AST-1500-1, LPS-1000-1, LPS-1000-2, LPS-1250-1, LPS-1250-2, LPS-1500-1, LPS-1500-2
	INFILTRATOR WATER TECHNOLOGIES LLC 800-221-4436	IM-Series 300, 540, 1060, 1250, 1530 CM series 1060
	NORWESCO, INC. 800-328-3420	Bruiser heavy duty 1000, 1250, 1500 gallon / may be used as a holding tank Low Profile 1000, 1250, 1500 gallon Rochester Rotational Molding 1000, 1250, 1500 gallon
	ROTH GLOBAL PLASTICS 866-943-7256	1060, 1250, 1500 gallon heavy duty / may be used as holding tank
	SNYDER INDUSTRIES, INC. 870-358-3400	1050, 1250, 1500 gallon 1050, 1250, 1500 gallon / heavy duty / may be used as a holding tank under certain conditions

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>SEPTIC TANKS (PLASTIC)</p> <p>(continued)</p> <p>Note: All tanks to be installed in accordance with manufactures' directions and supplied with inlet and outlet baffles.</p>	<p>Valencia Pipe 661-257-3923</p>	<p>Model 87-41718; 1000-gallon one compartment septic tank</p> <p>Model 87-41720; 1000-gallon two compartment septic tank</p> <p>Model 87-41758; 1500-gallon one compartment septic tank</p> <p>Model 87-41790; 1500-gallon two compartment septic tank</p>
<p>TRENCH MEDIA GRAVEL SUBSTITUTES</p> <p>CHAMBERS</p> <p>Note: All gravel substitutes to be installed in accordance with manufactures' directions.</p>	<p>ADVANCED DRAINAGE SYSTEMS (Formerly CULTEC, INC.) 800-428-5832</p>	<p>ARC-24 / articulated for curved trenches / use with ARC-24 end caps only (24 inch max. trench width)</p> <p>Contacto EZ- 24 / use with Contactor end caps only (18 inch max. trench width)</p>
	<p>INFILTRATOR WATER TECHNOLOGIES (Formerly Advanced Drainage Systems Inc) 800-221-4436</p>	<p>Bio-Diffuser 2 / use with Bio-Diffuser end caps only (18 inch max. trench width)</p> <p>ARC-18 / articulated for curved trenches / use with ARC-18 end caps only (18 inch max. trench width)</p>
	<p>INFILTRATOR WATER TECHNOLOGIES LLC 800-221-4436</p>	<p>EQ-24 / use with Infiltrator end caps only (18 inch max. trench width)</p> <p>EQ-36 / use with infiltrator end caps only (24 inch max. trench width)</p> <p>Quick 4 EQ-24 / articulated for curved trenches / use with Infiltrator Quick 4 end caps only (18 inch max. trench width)</p> <p>Quick 4 EQ-24 Low Profile / articulated for curved trenches / use with Infiltrator Quick 4 end caps only (18 inch max. trench width)</p> <p>Quick 4 EQ-36 / articulated for curve trenches / use with Infiltrator Quick 4 end caps only (24 inch max. trench width)</p> <p>Quick 4 EQ-36 Low Profile / articulated for curved trenches / use with Infiltrator Quick 4 end caps only (18 inch max. trench width)</p> <p>Quick 5 EQ-36 / use with Infiltrator end caps only (24-inch max trench width)</p>

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>TRENCH MEDIA, GRAVEL SUBSTITUTES</p> <p>CORRUGATED GRAVE-LESS PIPE</p>	<p>ADVANCED DRAINAGE SYSTEMS / HANCOR 800-733-7473</p>	<p>8-inch diameter, corrugated, perforated, polyethylene pipe with soil fabric wrap / use with ADS fittings only (12-inch max. trench width)</p>
	<p>MULTI-PIPE 800-780-5121</p>	<p>8-inch diameter, corrugated, perforated, polyethylene pipe with perforated, polyethylene pipe with soil fabric wrap / use with MPI fittings only (12-inch max trench width)</p>
	<p>PLASTIC TUBING IND., INC. 800-780-5121</p>	<p>PTI MPS-9 only (24-inch max. trench width)</p>
	<p>PRINSCO, INC. 800-992-1725</p>	<p>8-inch diameter, corrugated, perforated, polyethylene pipe with perforated, polyethylene pipe with soil fabric wrap / use with PRINSCO fittings only (12-inch max. trench width)</p>
	<p>QUAIL PIPING PRODUCTS, INC. 888-919-7473</p>	<p>8 inch diameter, corrugated, perforated, polyethylene pipe with perforated, polyethylene pipe with soil fabric wrap, use with SDR-35 PVC fitting only (12 inch max. trench width)</p>
	<p>SPRINGFIELD PLASTICS 800-252-3361</p>	<p>8 inch diameter, corrugated, perforated, polyethylene pipe with elastic soil fabric wrap / use with SPRINGFIELD PLASTICS fittings only (12 inch max. trench width)</p>
<p>TRENCH MEDIA, GRAVEL SUBSTITUTES</p> <p>POLYSTYRENE AGGREGATE</p>	<p>INFILTRATOR WATER TECHNOLOGIES LLC 800-221-4436</p>	<p>Model # FTSG 141 H-1 & Model # FTSG 121 H-1 (18 inch max. trench width)</p> <p>Model # FTSG 122 H-1 & Model # FTSG 103 T-1 (24 inch max. trench width)</p> <p>Smart Rock Models SR-12P, SR2- 12H, SR3-10T EZ flow-1003T & EZ flow-1202 (24 inch max. trench width)</p> <p>EZ flow-1201 P (18 inch max. trench width)</p> <p>EZ flow-1201 P-GEO / factory installed geo-textile (18 inch max. trench width)</p>

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
TRENCH MEDIA, GRAVEL SUBSTITUTES TIRE CHIPS (SHREDS)	DAVIS RUBBER COMPANY 501-374-1473	NOTE: Specifications for tire chips used in soil absorption systems are: <ul style="list-style-type: none"> ▪ Nominal 2-inch size (may range from ½ inch to a maximum of 4 inches in any one direction. ▪ Exposed wire may protrude no more than ½ inch from chip. ▪ At least 95% of chips by weight must comply with specifications. ▪ Fines (dust, dirt, grit, etc.) less than 2mm in size are prohibited
	EATON MOERY ENVIRONMENTAL 870-755-5331	
	JEFFERSON COUNTY RECYCLING 870-541-5358	
	WEST RIVER VALLEY REGIONAL SOLID WASTE MANAGEMENT DISTRICT 479-785-2651	
WASTEWATER DISINFECTION PRODUCTS	PPG Industries 866-668-5280	Accu-Tab® Wastewater Calcium Hypochlorite Tablets 2 ½ inch tablets / available in 10-lb, 27.5-lb, 43.5-lb, 100-lb sizes
	NORWECO, INC. 419-668-4471	NORWECO BIO SANITIZER NORWECO BLUECRYSTAL 2 ¾ inch tablets / for flows over 1500 gpd
WASTEWATER DISINFECTION UNITS	CLEARSTREAM 800-586-3656	CLC-100, CLC-122 liquid feed
	EXCELTEC / SANURIL 800-621-9189	Sanuril or Exceltec Model 200 / 2 ¾ inch tablet feed
	JET, INC. 501-835-2451	Jet-Chlor / 2 ¾ inch tablet feed
	NORWECO, INC. 419-668-4471	Bio-Dynamic Series 1500 & 2000 / 2 ¾ inch tablet feed BK 2000 Bio-Kinetic Wastewater Management System (includes both an effluent filter and a disinfection unit) Bio-Dynamic LF 500

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p style="text-align: center;">WASTEWATER TREATMENT UNITS FOR DOMESTIC WASTE</p> <p style="text-align: center;"><u>SURFACE DISCHARGE</u></p>	<p style="text-align: center;">AERO-TECH 574-935-0908</p>	<p style="text-align: center;">AT-500 Treatment System W/UV Disinfection Unit</p>
	<p style="text-align: center;">BIO-MICROBICS 800-753-3278</p>	<p style="text-align: center;">MicroFast ® 0.5/With UV Disinfection and Post Aeration500 MicroFAST 0.625, 0.75, 0.9, and 1.5 with Disinfection and Re-aeration 625, 750, 900, and 1500 BioBarrier 0.5, 1.0, and 1.5 with Disinfection and Re-aeration 500, 1000, and 1500</p>
	<p style="text-align: center;">CLEARSTREAM WASTEWATER SYSTEMS, INC. 800-586-3656</p>	<p>500 (500N, 500NC, 500NC2, 500NC3, 500NCS, 500NS, and 500NU) 600 Series (600N, 600NC, 600NC2, 600NC3, and 600NU) 750 Series (750N, 750NC, and 750NC2) 800 Series (750N, 750NC, and 750NC2) 1000 Series (1000N, 1000N-B, 1000NC, 1000NC B, 1000NCD, 1000ND, and 1000NSD) 1200 Series (1200NCD and 1200ND) 1500 Series (1500N, 1500N-B, 1500NC, 1500NC-B, 1500NCD, and 1500ND) All of the included systems in the list must include either a Clearstream Model 1100 Spin Filter or a post aeration tank. Systems without built-in disinfection must include a supplementary disinfection unit.</p>
	<p style="text-align: center;">CONSOLIDATED TREATMENT SYSTEMS, INC. 937-746-1446</p>	<p style="text-align: center;">MultiFlo FTB-0.5 – Rated for 500 gpd Nyadic M6 A Rated for 500gpd</p>
	<p style="text-align: center;">ECOLOGICAL TANK, INC. 877-247-7643</p>	<p style="text-align: center;">AquaSafe 500 – Rated for 500 gpd</p>
	<p style="text-align: center;">ENVIROGUARD 800-503-0163</p>	<p style="text-align: center;">ENV-0.75 – Rated for 750 gpd</p>
	<p style="text-align: center;">E-Z Treat 703-753-4770</p>	<p style="text-align: center;">600, 750, & 1200 gpd models</p>

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
WASTEWATER TREATMENT UNITS FOR DOMESTIC WASTE <u>SURFACE DISCHARGE</u> (continued)	INFILTRATOR WATER TECHNOLOGIES (Formerly Delta Treatment Systems) 800-219-9183	Ecopod E50, E60, E75, E100, E150
	JET, INC. 440-461-2000	Jet J-500, J-500PLT, J-600, J-750, J-800, J-800PLT, J-1000, J-1250, and J-1500; with disinfection and re-aeration
	FUJI CLEAN USA, LLC 207-406-2927	CE5, CE7, CE10, CEN5, CEN7 and CEN10 CE14 CEN14W/UV Disinfection and re-aeration
	NORWECO, INC. 419-668-4471	Norweco (Singluar) 960 – Rated for 500/1000 gpd Norweco (Singluar) TNT-500 – Rated for 500 gpd
WASEWATER TREATMENT UNITS FOR DOMESTIC <u>SUBSURFACE DISPOSAL ONLY</u> Note: To be installed only by distributors licensed in Arkansas.	ORENCO SYSTEMS, INC. 800-348-9843	Advantex AX-20 & AX-20RT Synthetic media filter treats effluent from septic tank with effluent filter - Rated for 500 gpd
	ACQUIRED WASTEWATER TECHNOLOGIES 318-746-5122	Alliance - 500, 600, 750, 1000 gpd Cajun Aire - 500, 750, 1000 gpd Mighty Mac - 500 gpd
	AERO-TECH 574-935-0908	AT Models - Rated at 500, 600, 750, 1000, 1500 gpd
	AQUAKLEAR 877-936-7711	Models - Rated at 500, 600, 750, 1000, 1500 gpd
	BIO-MICROBICS 800-753-3278	Micro FAST 0.5, 0.625, 0.75, 0.9, 1.0, 1.5 - Rated at 500, 625, 750, 900, 1000, 1500 gpd BioBarrier Membrane Bioreactor 0.5, 1.0, 1.5 – Rated at 500, 1000, 1500 gpd
	CLEARSTREAM, INC. 800-586-3656	Models – Rated at 500, 600, 750, 800, 1000, 1200, 1500 gpd MODEL G 500-1500 gpd
	CLARUS ENVIRONMENTAL 800-928-7867	FUSION Models - Rated at 450, 600, 800 gpd (Aeration plus fixed media)
	CONSOLIDATED TREATMENT SYSTEMS 937-746-1446	Enviro-Guard 0.75 – Rated at 750 gpd Multi-flow - Rated at 500 gpd Nyadic M6A - Rated at 500 gpd
	ECOLOGICAL TANK CO. 877-247-7643	Aqua Safe - Rated at 500, 500L, 600, 600L, 750, 750L, 1000, 1000L, 1100L, 1500 gpd

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>WASEWATER TREATMENT UNITS FOR DOMESTIC SUBSURFACE DISPOSAL ONLY (continued)</p> <p>Note: To be installed only by distributors licensed in Arkansas.</p>	<p>ENVIROGUARD 800-503-0163</p>	<p>ENV-0.75 – Rated for 750 gpd</p>
	<p>FUJI CLEAN USA,LLC 207-406-2927</p>	<p>CE5, CE7, CE10, CEN5, CEN7, CEN10</p>
	<p>HYDRO-ACTION, INC. 800-370-3749</p>	<p>Rated at 500, 900, 1000, 1100, 1500 gpd</p>
	<p>INFILTRATOR WATER TECHNOLOGIES (Formerly Delta Treatment Systems) 800-219-9183</p>	<p>DF40, DF50, DF60, DF75, DF150, Ecopod and Ecopod N E50, E60, E75, E100, and E150 Ecopod NX E50</p>
	<p>INFILTRATOR WATER TECHNOLOGIES (Formerly Presby Environmental) 800-473-5298</p>	<p>Enviro-Septic / Single point discharge prior subsurface disposal only</p>
	<p>NORWECO, INC. 419-668-4471</p>	<p>Norweco (Singular) 960, TNT – Rated for 500, 750, 1000, 1250, 1500 gpd Singular Green Fiberglass – Rated for 600 gpd</p>
	<p>ORENCO, INC. 800-348-9843</p>	<p>Advantex AX-20, AX-20RT Synthetic media filter treats effluent from septic tank with effluent filter – Rated for 500 gpd</p>
	<p>PREMIER TECH 205-408-9691</p>	<p>Ecoflo Bio-Filter / Septic tank pretreatment / effluent filter recommended</p>
	<p>PURAFLO ANUA INTERNATIONAL 336-547-9338</p>	<p>P150, P300, P450, P750 Pre-treat with septic tank equipped with Zabel A-100 filter and dose tank must be 75% capacity of required septic tank Models - Rated at 500, 600, 750</p>
	<p>QUANICS, INC. 877-782-6427</p>	<p>AeroCell ATS-SCAT-8-AC-C500 – Rated at 500 gpd Open cell foam media / Models - Rated at 500, 750, 1000, 1250, 1500 gpd Bio-COIR ATS-SCAT-8-BC-C500 - Rated at 500 gpd Coconut husk media / Units – Rated at 500, 750, 1000, 1250, 1500 gpd</p>
	<p>SLUDGEHAMMER 231-348-5866</p>	<p>S-400, 600, 800, 1000 models</p>
	<p>SOUTHERN MANUFACTURING 800-992-4501</p>	<p>1000, 1500 gpd</p>
	<p>TEX-AIRE 318-752-3700</p>	<p>Models - Rated at 500, 750, 1000 gpd</p>

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
WASTEWATER TREATMENT UNITS USING ULTRAVIOLET LIGHT FOR FECAL REDUCTION	BIO-MICROBICS 800-753-3278	Micro FAST 0.5, 0.625 0.75, 0.9, 1.5 – Rated at 500, 625, 750, 900, 1500 gpd BioBarrier Membrane Bioreactor 0.5, 1.0, 1.5 – Rated at 500, 1000, 1500 gpd
	CLEARSTREAM 800-586-3656	Model G 500-1500 gpd
	CONSOLIDATED TREATMENT SYSTEMS 937-746-1446	Enviro-Guard 0.75 – Rated at 750 gpd
	INFILTRATOR WATER TECHNOLOGIES (Formerly Delta Treatment Systems) 800-219-9183	Ecopod N E50, E60, E75, E100, E150
	FUJI CLEAN USA, LLC 207-406-2927	CE5, CE7, CE10, CEN5, CEN7, CEN10
	NORWECO, INC. 419-668-4471	Singulair TNT-500 – Rated at 500 gpd
	ORENCO SYSTEMS, INC. 800-348-9843	Advantex AX-20, AX-20RT – Rated at 500 gpd
	QUANICS, INC. 877-782-6427	Aerocell ATS-SCAT-8-AC-C500 – Rated at 500 gpd
WASTEWATER TREATMENT GREYWATER RECYCLE NSF STD. 350	BIO-MICROBICS 800-753-3278	BioBarrier MBR 0.5,1.0,1.5
	NORWECO, INC 419-668-4471	R3 Model 500 gpd
WASTEWATER TREATMENT SEWAGE BLACKWATER AND GREYWATER COMBUSTION SYSTEM	ECOJOHN 866-326-5646	WC5, WC32, WC48, WC64