


AR Chest Pain-MI Registry Performance Data 2024 Q2 v 2024 Q3

Source: NCDR Chest-Pain MI Registry



Arkansas' Seven (7) STEMI Regions



- Hospitals
- Hospital Regions**
 - Arkansas Valley
 - Metro
 - North Central
 - Northeast
 - Northwest
 - Southeast
 - Southwest



Note: Map includes all hospitals in the state sourced by the Arkansas Foundation for Medical Care (AFMC) and Arkansas Department of Health (ADH).

Overall Defect-Free Care

1. Aspirin at arrival

2. Immediate angiography after cardiac arrest (STEMI)

3. D2N time (STEMI)

4. FMC device time (STEMI)

5. DIDO time (STEMI)

6. Reperfusion Rx (STEMI)

7. Early troponin measurement after NSTEMI

8. Evaluation of LV systolic function


9. ACE-I or ARB for LVSD at discharge

10. Aspirin at discharge
11. Beta-blocker at discharge


12. High-intensity statin at discharge

13. P2Y12 inhibitor at discharge


14. Cardiac rehab referral from IP Setting




STEMI Arrived by EMS




Patients Where 1st ECG is Pre-Hospital




Patients with FMC to Pre-Hospital ECG ≤ 10 min




EMS Pre-Hospital Median Times (min), 2024 Q3




Patients with Hospital Arrival to ECG ≤ 10 min, All AMIs




Patients with Hospital Arrival to Device Activation ≤90min




Patients with Sx Onset to Device Activation ≤120min



Median Times to Device Activation (min), 2024 Q3



Cardiac Rehab Referral from IP Setting



Risk Score Stratification for NSTEMI

