

| Certified Systems   | Store Controller  | Lane                                | POS Terminal  |
|---|---|-------------------------------------|---|
| <p><b>Walmart</b></p> <p><b>Cert date:</b><br/><b>12/12/2016</b></p>                | <p><u>Soft. Application:</u><br/>Model: GSA<br/>Major Version:<br/>1619001209</p> <p><u>Soft. OS:</u><br/>IBM<br/>Model: 4690 OS Major<br/>Version: v1640000520</p>   | <p>same as store<br/>controller</p> | <p><b>Ingenico iSC250:</b><br/><u>Soft. Application:</u><br/>Model: Walmart<br/>Major Version: 3.7.1<br/>Minor Version: r4b4<br/><u>Soft. OS:</u><br/>Brand: Ingenico<br/>Model: Telium<br/>Major Version: 40.4.4<br/>Minor Version: WICL 2.00</p> <p><b>Verifone MX915:</b><br/><u>Soft. Application:</u><br/>Model: Walmart 4.6.5<br/>Major Version: WIC<br/>Module 4010<br/><u>Soft. OS:</u><br/>Model: RFS<br/>Major Version: 1.0.24.1408<br/>Minor Version: Build<br/>30140200</p> |
| <p><b>Safeway Toshiba<br/>ACE</b></p> <p><b>Cert Date:</b><br/><b>8/01/2016</b></p> | <p><u>Soft. Application:</u><br/>Brand: Toshiba<br/>Model: SUREPOS ACE<br/>Major Version: v7<br/>Minor Version: 187.01-<br/>30</p> <p><u>Soft. OS:</u><br/>Brand: IBM<br/>Model: 4690 OS<br/>Major Version: v6<br/>Minor Version: 0F10.01</p> | <p>same as store<br/>controller</p> | <p><b>Verifone MX915</b><br/><u>Soft. Application:</u><br/>Brand: Verifone<br/>Model: Form Agent 4.4.5<br/>Major Version:<br/>WIC_Module 4.0.10</p> <p><u>Soft. OS:</u><br/>Brand: Verifone<br/>Model: MX200001<br/>Major Version:<br/>RFS30140200 Minor<br/>Version: GUI3.23</p>   |

|  |  |  |   |
|--|--|--|---|
| <p><b>Kroger</b></p> <p><b>Cert date:</b><br/><b>12/7/2016</b></p>       | <p><u>Soft. Application:</u><br/>Brand: Toshiba - Model:<br/>ACE<br/>Major Version: V7R5<br/>Minor Version: g187.4</p> <p><u>Soft. OS:</u><br/>Brand: Toshiba - Model:<br/>4690 OS - Major<br/>Version: v6 - Minor<br/>Version: R4 OF10</p>  | <p>same as store<br/>controller</p>  | <p><b>VeriFone Mx915:</b></p> <p><u>Soft. Application:</u><br/>Model: Form Agent 4.4.5<br/>Major Version:<br/>WIC_Module 4.0.10</p> <p><u>Soft. OS:</u><br/>Model: MX200001<br/>Major Version:<br/>RFS30140200<br/>Minor Version: GUI3.20</p> |
| <p><b>Dumac (RORC)</b></p> <p><b>Cert date:</b><br/><b>5/11/2015</b></p> | <p><u>Soft. Application:</u><br/>Brand: RORC<br/>Model: ALL<br/>Major Version: v6.1.2</p> <p><u>Soft. OS:</u><br/>Brand: Microsoft<br/>Model: Windows Server<br/>Major Version: 2008<br/>Minor Version: R2</p> <p><u>Middleware:</u><br/>Brand: Retail Payments<br/>Model: Connected<br/>Payments<br/>Major Version: 828.1</p> | <p><u>Soft. Application:</u><br/>Brand: RORC - Model:<br/>ALL Major Version:<br/>v6.1.2</p> <p><u>Soft. OS:</u><br/>Brand: Microsoft -<br/>Model: Windows<br/>Major Version:<br/>Embedded POSReady 7<br/>Minor Version: SP1</p> <p><u>Middleware:</u><br/>Brand: Retailix<br/>Model: OpenEPS<br/>Major Version:<br/>828.1.11.625</p> | <p><b>Equinox L5300:</b></p> <p><u>Soft. Application:</u><br/>Model: Scat<br/>Major Version: 640.P.9</p> <p><u>Soft. OS:</u><br/>Model: L5300<br/>Major Version: L5x-OS-<br/>v05.05<br/>Minor Version: 20140401-2</p>                         |

|  |   |  |  |
|--|---|--|--|
| <p><b>Save-A-Lot (ISS-45)</b></p> <p><b>Cert date:</b><br/><b>05/02/2017</b></p> | <p><u>Soft. Application:</u><br/>Brand: NCR<br/>Model: ISS45<br/>Major Version: 7.1.5.0<br/>Minor Version: 140</p> <p><u>Soft. OS:</u><br/>Brand: Microsoft<br/>Model: Windows<br/>Major Version: 7 Pro<br/>Minor Version: SP1</p> <p><u>Middleware:</u><br/>Brand: NCR<br/>Model: Connected Payments<br/>Major Version: 828.7</p> <p>****OR ISS45 Version 8 see below***</p> | <p>same as store controller</p>  | <p><b>Verifone Mx915:</b></p> <p><u>Soft. Application:</u><br/>Model: Form Agent 4.7.3<br/>Major Version: WICIF 4.0.0.4<br/>Minor Version: GUI 3.23</p> <p><u>Soft. OS:</u><br/>Model: MX200001<br/>Major Version: RFS30250600<br/>Minor Version: GUI3.23</p>  |
| <p><b>ISS-45</b></p> <p><b>Cert date:</b><br/><b>05/02/2017</b></p>              | <p><u>Soft. Application:</u><br/>Brand: NCR<br/>Model: ISS45<br/>Major Version: 8.1.8.1<br/>Minor Version: 080</p> <p><u>Soft. OS:</u><br/>Brand: Microsoft<br/>Model: Windows Major Version: 7 Pro<br/>Minor Version: SP1</p> <p><u>Middleware:</u><br/>Brand: NCR<br/>Model: Connected Payments<br/>Major Version: Gold 7</p>   | <p><u>Soft. Application:</u><br/>Brand: NCR<br/>Model: ISS45<br/>Major Version: 8.1.8.1<br/>Minor Version: 080</p> <p><u>Middleware:</u><br/>Brand: NCR<br/>Model: OpenEPS<br/>Major Version: 828.7.21.40</p> <p>or</p> <p><u>Middleware:</u><br/>Brand: NCR<br/>Model: OpenEPS<br/>Major Version: 829.2.21.42</p> | <p><b>Equinox L5300</b></p> <p><u>Soft. Application:</u><br/>Model: FPE<br/>Major Version: 7.U.559</p> <p><u>Soft. OS:</u><br/>Brand: Equinox<br/>Model: L5300<br/>Major Version: L5x-OS-v07.01<br/>Minor Version: 20150904-3</p> <p><b>Verifone Mx915</b></p> <p><u>Soft. Application:</u><br/>Model: Form Agent 4.7.3<br/>Major Version: WICIF 4.0.0.4<br/>Minor Version: GUI 3.23</p> <p><u>Soft. OS:</u><br/>Brand: Verifone<br/>Model: MX200001<br/>Major Version: RFS30250600<br/>Minor Version: GUI3.23</p> |

|   |  |  |   |
|---|--|--|---|
| <p><b>ENCOR</b></p> <p><b>Cert date:</b><br/><b>05/02/2017</b></p>      | <p><u>Soft. Application:</u><br/>Brand: NCR CHANNEL PARTNERS<br/>Model: ENCOR<br/>Major Version: 1.0.0.0<br/>Minor Version: 025</p> <p><u>Soft. OS:</u><br/>Brand: Microsoft<br/>Model: Windows Major Version: 7 Pro Minor Version: SP1</p> <p><u>Middleware:</u><br/>Brand: NCR<br/>Model: Connected Payments<br/>Major Version: Gold 7</p>                 | <p><u>Soft. Application:</u><br/>Brand: NCR CHANNEL PARTNERS<br/>Model: ENCOR<br/>Major Version: 1.0.0.0<br/>Minor Version: 025</p> <p><u>Soft. OS:</u><br/>Brand: Microsoft<br/>Model: Windows Major Version: Embedded POSReady 7<br/>Minor Version: SP1</p> <p><u>Middleware:</u><br/>Brand: NCR<br/>Model: OpenEPS<br/>Major Version: 829.2.21.42</p> | <p><b>Equinox L5300</b></p> <p><u>Soft. Application:</u><br/>Model: FPE<br/>Major Version: 7.U.559</p> <p><u>Soft. OS:</u><br/>Brand: Equinox<br/>Model: L5300<br/>Major Version: L5x-OS-v07.01<br/>Minor Version: 20150904-3</p>   |
| <p><b>NCR ACS IR</b></p> <p><b>Cert date:</b><br/><b>06/05/2017</b></p> | <p><u>Soft. Application:</u><br/>Brand: NCR<br/>Model: ACS-IR<br/>Major Version: 6.1 RP3 Patch 75</p> <p><u>Soft. OS:</u><br/>Brand: Microsoft -<br/>Model: Windows Server<br/>Major Version: 2008<br/>Minor Version: SP3</p> <p><u>Middleware:</u><br/>Brand: NCR<br/>Model: Connected Payments<br/>Major Version: Gold 30<br/>Minor Version: Hot Fix 3</p> | <p><u>Soft. Application:</u><br/>Brand: NCR<br/>Model: ACS-IR<br/>Major Version: 6.1 RP3 Patch 75</p> <p><u>Soft. OS:</u><br/>Brand: Microsoft<br/>Model: Windows Major Version: Embedded POSReady 7<br/>Minor Version: SP1</p> <p><u>Middleware:</u><br/>Brand: NCR<br/>Model: OpenEPS<br/>Major Version: 828.7.21.40</p>                               | <p><b>VeriFone MX925</b></p> <p><u>Soft. Application:</u><br/>Brand: Verifone<br/>Model: Form Agent 4.7.3<br/>Major Version: WICIF 4.0.10<br/>Minor Version: GUI 3.23</p> <p><u>Soft. OS:</u><br/>Brand: Verifone<br/>Model: MX200001<br/>Major Version: RFS30250600<br/>Minor Version: GUI3.23</p> |

|  |  |  |   |
|--|--|--|---|
| <p><b>LOC</b></p> <p><b>Cert date:</b><br/><b>05/22/2017</b></p>   | <p><u>Soft. Application:</u><br/>Brand: LOC<br/>Model: SMS Pro Major<br/>Version: 3.4.1.6 Minor<br/>Version: 5-22-2017</p> <p><u>Soft. OS:</u><br/>Brand: Microsoft<br/>Model: Windows Major<br/>Version: Embedded<br/>POSReady 7<br/>Minor Version: SP1</p> | <p>same as store<br/>controller</p>  | <p><b>Equinox L5300</b></p> <p><u>Soft. Application:</u><br/>Brand: Equinox<br/>Model: FPE<br/>Major Version: 7.U.560</p> <p><u>Soft. OS:</u><br/>Brand: Equinox<br/>Model: L5300<br/>Major Version: L5x-OS-<br/>v07.03<br/>Minor Version: 20170202-2</p> |
| <p><b>SoliSystems<br/>MobiWIC</b></p> <p><b>Cert date:</b><br/><b>07/18/2017</b></p> <p><i>*System can be<br/>purchased but is<br/>ineligible for<br/>reimbursement per<br/>FNS/USDA guidelines*</i></p> | <p><u>Soft. Application:</u><br/>Brand: SoliSYSTEMS<br/>Model: MobiWIC Cloud<br/>Major Version: 1.0.0.12</p>   | <p><u>Soft. Application:</u><br/>Brand: SoliSYSTEMS<br/>Model: MobiWIC<br/>Major Version: 1.0.0.27</p> <p><u>Soft. OS:</u><br/>Brand: Google<br/>Model: Android<br/>Major Version: 4.3</p> | <p><u>Soft. Application:</u><br/>Brand: SoliSYSTEMS<br/>Model: MobiWIC - Major<br/>Version: 1.0.0.27</p> <p><u>Soft. OS:</u><br/>Brand: Google<br/>Model: Android<br/>Major Version: 4.3</p>  |
| <p><b>ECRS Catapult</b></p> <p><b>Cert date:</b><br/><b>09/01/2016</b></p>   | <p><u>Soft. Application:</u><br/>Brand: ECRS<br/>Model: Catapult Suite<br/>Major Version: 5.4.0 or<br/>5.4.2</p>   | <p>same as store<br/>controller</p>  | <p><b>Equinox L5300</b></p> <p><u>Soft. Application:</u><br/>Model: FPE<br/>Major Version: 7.U.556</p> <p><u>Soft. OS:</u><br/>Brand: Equinox - Model:<br/>L5300<br/>Major Version: L5x-OS-<br/>v07.01<br/>Minor Version: 20150904-3</p>                  |

|   |   |   |   |
|---|---|---|---|
| <b>FTS Solutions</b><br><br><b>Cert date:</b><br><b>07/28/2016</b>      | <u>Soft. Application:</u><br>Brand: FTS<br>Model: Cygnus<br>Major Version: v4.0.5<br><br><u>Soft. OS:</u><br>Brand: Microsoft<br>Model: Windows<br>Major Version: 10  | same as store controller  | <b>Verifone MX915</b><br><u>Soft. Application:</u><br>Brand: Verifone<br>Model: Form Agent 4.1.4<br>Major Version: WIC<br>Module 3.0.2<br><br><u>Soft. OS:</u><br>Brand: Verifone<br>Model: MX200001<br>Major Version:<br>RFS30140200<br>Minor Version: GUI3.19                     |
| <b>Brookshire NCR ACS</b><br><br><b>Cert date:</b><br><b>03/23/2017</b> | <u>Soft. Application:</u><br>Brand: NCR<br>Model: ACS<br>Major Version: 6.0<br>Minor Version: Build 02A<br><br><u>Soft. OS:</u><br>Brand: Microsoft<br>Model: Windows Server<br>Major Version: 2008<br>Minor Version: R2<br><br><u>Middleware:</u><br>Brand: NCR<br>Model: ServerEPS<br>Major Version: 2.31 | <u>Soft. OS:</u><br>Brand: Microsoft<br>Model: Windows<br>Major Version:<br>Embedded POSReady 2009<br>Minor Version: SP3<br><br><u>Middleware:</u><br>Brand: NCR<br>Model: OpenEPS<br>Major Version:<br>828.7.21.40 | <b>Verifone Mx925</b><br><u>Soft. Application:</u><br>Brand: Verifone<br>Model: Form Agent 4.7.3<br>Major Version: WICIF 4.0.10<br>Minor Version: GUI 3.23<br><br><u>Soft. OS:</u><br>Brand: Verifone<br>Model: MX200001<br>Major Version:<br>RFS30250600<br>Minor Version: GUI3.23 |
| <b>Harp's NCR ACS</b>   | pending   |   | Equinox L5300   |
| <b>Logivision</b>   | pending   |   | Verifone MX915?   |

|   |  |                                 |   |
|---|--|---------------------------------|---|
| <p><b>Toshiba ACE</b></p> <p><b>Cert date:</b><br/><b>04/24/2017</b></p>            | <p><u>Soft. Application:</u><br/>Brand: Toshiba<br/>Model: ACE<br/>Major Version: V7R5<br/>Minor Version:<br/>g215_rc3</p> <p><u>Soft. OS:</u><br/>Brand: IBM<br/>Model: 4690 OS<br/>Major Version: v6</p>                         | <p>same as store controller</p> | <p><b>Verifone Mx915</b></p> <p><u>Soft. Application:</u><br/>Brand: Aurus<br/>Model: Verifone Terminal Software<br/>Major Version: 10.49</p> <p><u>Soft. OS:</u><br/>Brand: Verifone<br/>Model: RFS<br/>Major Version: 1.0.24.1460<br/>Minor Version: Build 30145200</p> <p><b>Verifone Mx925</b></p> <p><u>Soft. Application:</u><br/>Brand: Verifone<br/>Model: Form Agent 4.7.2<br/>Major Version: WICIF 4.0.10</p> <p><u>Soft. OS:</u><br/>Brand: Verifone<br/>Model: MX200001<br/>Major Version: RFS30140200<br/>Minor Version: GUI3.14</p> |
| <p><b>IT Retail Professional</b></p> <p><b>Cert date:</b><br/><b>04/10/2017</b></p> | <p><u>Soft. Application:</u><br/>Brand: IT Retail<br/>Model: Retail Professional<br/>Major Version: 7R3.2</p> <p><u>Soft. OS:</u><br/>Brand: Microsoft<br/>Model: Windows Major Version: 7 Professional<br/>Minor Version: SP3</p> | <p>same as store controller</p> | <p><b>Verifone Mx870</b></p> <p><u>Soft. Application:</u><br/>Brand: Verifone<br/>Model: Form Agent 4.4.3<br/>Major Version: WICIF 4.0.0.3</p> <p><u>Soft. OS:</u><br/>Brand: Verifone<br/>Model: Mx0008US<br/>Major Version: RFS 00018<br/>Minor Version: GUI 3.23</p> <p><b>**CAN NOT DO BENEFIT REVERSAL WITH THIS PIN PAD**</b></p>   |